

# INDEX MAPS.

## T.15N R.8W 2<sup>nd</sup> Mer.

	294	293-294	293-294	293-295	293-295	292-295						
297	6	321	5	315	4	311	3	306	2	302	1	292
	320	320		315		310		306		301		
297	7	320	8	314	9	310	10	306	11	301	12	292
	319		319		314		310		305		301	
296	18	318	17	314	16	309	15	305	14	300	13	292
	322		318		313		309		304		300	
296	19	317	20	313	21	309	22	304	23	299	24	291
	317		317		312		308		303		299	
296	30	316	29	312	28	308	27	302	26	299	25	291
	316		316		311		307		302		298	
295	31	315	32	311	33	307	34	302	35	298	36	291
	289		289		289		289		290		290	

## T.16N R.8W 2<sup>nd</sup> Mer.

	330											327
331	6	354	5	348	4	344	3	340	2	335	1	327
	354	353	347	343	339	335						
331	7	353	8	347	9	343	10	339	11	334	12	327
	352	352	347	343	338	334						
331	18	351	17	346	16	342	15	338	14	334	13	326
	351	351	346	342	338	333						
330	19	350	20	346	21	341	22	337	23	333	24	326
	350	350	345	341	337	332						
330	30	349	29	345	28	341	27	336	26	332	25	326
	349	348	344	340	336	332						
330	31	348	32	344	33	340	34	335	35	332	36	325
	324	323-324	323-324	323-325	323-325	323-325						

The figures on the lines refer to the page.





## T. N. 16 N. R. No. 8 W 2nd Mer. Ind.

80.00	Set a temp't post for the cor of cor. 31 (32). Lay down line and 2nd rate; Sugar, Buck 7 & Net. Oak.
West	On the true line On the South Boundary of cor. 31. T. 16 N. R. 8 W
15.00	To a Post N 8 sink mids, corner J.
26.00	To " Do. 3 " " " " NW
35.00	" " Do. 30 " " " " S.
81.95	Set out the Range line 339 feet South of the first cor. of Sep. 1. 63 136. T. 16 N. R. 8 W 9 W Simple Lay down line & post broken.
East	On the true line On the South Boundary of cor. 31. T. 16 N. R. 8 W
40.00	Set the temp't post on the true line from whistles N Oak 36 in air: line West 110 units dist.
80.00	Set the temp't post on the true line for the cor of cor. 31 & 32. from whistles, Cherry 9 in air: line. S 19 E 16. the dist under w. N Oak 36 " " " " N 83 W 59 " "
East	On the true line On the South Boundary of cor. 32 T. 16 N. R. 8 W
40.00	Set a 1/2 sec temp't post on the true line from whistles Sugar 12 in air: line. S 18 E 29 units dist; 14, Buckeye 14 " " " " North 48 " "
80.00	Set a post for the cor of cor. 32 & 33 on the true line from whistles, Sugar 12 in air: line. N 32 W 36 the dist under w. Do 134 " " " " S 27 E 48 " " Variation by observation 6° 45'
East	On the true line On the South Boundary of cor. 33. T. 16 N. R. 8 W
40.00	Set the temp't post on the true line from whistles Sugar 8 in air: line. N 61 W. 15 units dist; 14, N Walnut 8 " " " " S 66 E 19 " "

T. N. 1<sup>st</sup> N. R. No 8 W 2<sup>nd</sup> Mer. Ind.

80.00 Set the trap 1<sup>st</sup> post on the line for the corner of sec. 33 & 34  
from which Elm 8 in diam. bears S 67 E. 25 mts. with  
and a Poplar 40 " " N 64 W. 36 " "

August 2 1819.

East On the line On the South Boundary of sec. 34.  
T. 16. N. R. 8 W.

40.00 Set a 1<sup>st</sup> post on the line from which  
Beech 10 in diam. bears S 64 W. 12 mts. with, &c.  
Do 9 " " " N 7 E. 23 " "

80.00 Set a 2<sup>nd</sup> post on the line for the corner of sec. 34 & 35  
from which, Oak 14 in diam. bears S 73 W. 10 mts. with  
under Sugar 24 " " " N 12 E. 21 " "

East On the line On the South Boundary of sec. 35.  
T. 16. N. R. 8 W.

40.00 Set the trap 1<sup>st</sup> post on the line from which  
Elm. 9 in diam. bears S 57 W. 5 mts. with, &c.  
Beech 14 " " " N 28 E. 22 " "

80.00 Set the trap 1<sup>st</sup> post on the line for the corner of sec. 35 & 36.  
from which, Sugar 24 in diam. bears N 88 E. 10 mts. with  
under Do. 18 " " " S 75 W. 25 " "

East On the line On the South Boundary of sec. 36.  
T. 16. N. R. 8 W.

40.00 Set the trap 1<sup>st</sup> post at the line from which  
Oak. 36 in diam. bears S 68 E. 10 mts. with, &c.  
Beech 18 " " " N 5 W. 45 " "

85.00 Set a post for the corner of T. 15 & 16. N. R. 7 & 8 W.  
from which, Sugar 9 in diam. bears S 30 E. 3 mts. with  
under Oak. 12 " " " N 7 W. 16 " "

Surveyed by William Harris. D.

East Boundary

North On the East Boundary of sec. 36. T. 16. N. R. 8 W.

40.00 Set a 1<sup>st</sup> post from which

J. N. 16 N. R. N. 7 W. ~~2~~ 1/2 W. (Mm. Sud.?)

Cherry 7 in dia: trees N 47 E. 30 units north, 72,  
 72.00 Buck. 9 " " S 38 W. 23 "  
 Top Brook. 12 units mid, corner E.  
 80.00 Set a post for the cor of cor. 25 & 36. from whitch,  
 W Oak. 15 in dia: trees. S 48 E. 18 units north, 72,  
 72.00 Buck. 14 " " " S 37 W. 41 "  
 Sande hole under good for farming; Sugar, Buck, Sugar,  
 Oak, Ash &c.

North Oaks East Boundary of Sec. 25 T. 16 N. R. 8 W.  
 40.00 Set a post for the cor of cor. 24 & 25. from whitch,  
 W Oak. 12 in dia: trees. S 57 W. 20 units north, 72,  
 Hickory 8 " " " S 34 W. 21 "  
 80.00 Set a post for the cor of cor. 24 & 25. from whitch,  
 Buck 27 in dia: trees. S 70 E. 42 units north, 72,  
 Sugar. 18 " " " S 87 W. 22 "  
 Sandstone.

North Oaks East Boundary of Sec. 24 T. 16 N. R. 8 W.  
 12.00 Top Brook. 5 units mid, corner S W.  
 40.00 Set a post for the cor of cor. 24 & 25. from whitch,  
 Sugar 9 in dia: trees. S 57 E. 25 units north, 72,  
 Buck 4 " " " S 44 W. 1 "  
 65.00 To a Day Branch. 12 units mid, corner N W.  
 70.00 To a Brook. 10 units mid, corner W  
 80.00 Set a post for the cor of cor. 13 & 24. from whitch,  
 Sugar. 12 in dia: trees. N 65 E. 33 units north, 72,  
 No. 27 " " " S 87 W. 23 "  
 Sandstone.

North Oaks East Boundary of Sec. 13 T. 16 N. R. 8 W.  
 12.00 To a Brook. 5 units mid, corner W  
 40.00 Set a post for the cor of cor. 13 & 24. from whitch,  
 Buck 8 in dia: trees. S 79 E. 24 units north, 72,  
 Sugar. 24 " " " S 75 W. 8 "  
 49.00 To a Brook. 10 units mid, corner W.



I. N. 16. MC. N. 877 2nd. (Mr. Ind.)

80,000 Set apart for the use of our 12th B from white  
Buck 8 in diam from S10 E 12 north west: 243  
Elev. 10 " " " 1717.2 " "

North Cape East Boundary of Sec. 12 T. 16. N R. 8 W

4000 Suba. caput from whiting  
93 cut 18 in. in air from. 94/11 10 knots and, 12  
20. 10 " " " " 114 E. 43, "

56.00 Enter a Willow thicket

78.00 Paid to Mr.

80.00      Ship a post for the car of cut 1872 from White,  
Sumner 9 in dia<sup>r</sup> trees. N 67 W 29 knots on: su,  
Beut. 12 1/2 " "      S 8 E 25 " "  
Sum to similar

North Cape East B. and W. of C. 17. 16. 1887

40.00 Sept 18<sup>th</sup> insect from whiter  
Sugar 12<sup>th</sup> Dec. 18<sup>th</sup> brass \$556.20 units ash; for  
W Oak 18<sup>th</sup> " " \$55419 " "

42.00 Frank & Luke mid. Conn. E.

8000 Set a trap for the car of J. 16 N. 70 87

72.75 To the Township Corr.

North Boundary

West On the South Terminal of ca. 32 J. 17. N.R. 7. N.

" " " Ink " " " 6 " 16 " 4 " 7 W

34.00 1st Brook 21 mps ind., New N.

40,00 Def a<sup>n</sup> report from Whitson  
Amwood 8 in dia. trees. SW 18 birds nests, 10  
W Oak. 18 " " " NE 28 " "

51.15. Intersect the Range line 7.25 South of the top pt. Fern  
Cov. and set a post from which a  
Bench 8 in dist. runs. S88E23 looks north on

*T. N. 16. N. R. N. 877 2nd Mer. Ind.*

Beck 4 in air: beam. N 87 W. 20 links arch;  
 The above post stands for the cor of ew. 1 Hb. T. 16 + 16.  
 N R. 7 + 8 W. Var. by observation. 7.00'  
 80.00 Set a post for the cor of ew. 31 + 32 T. 17 N R. 7 W.  
 from which, Egan 11 in air: beam. S 4 E. 10 links arch;  
 and a Do. 7. " " N 39 W 38 "  
 Set a post here and a post broken. 2nd rate; Limit Rock  
 Egan Act & Pledge. L.  
 Good land for farming.

West On the South Bound. of Pa. 31. T. 17 N R. 7 W. &  
 " " North " " " " 1. T. 16 " " 8 W.  
 35.00 Top Rock 5 links mid, beam N.  
 40.00 Set a post from which  
 Beck 5 in air: beam. N 87 E. 19 links arch; Pa  
 Do 10 " " " N 62 W 20 " "  
 80.00 Set a post for the cor of ew. 31 + 36 T. 17 + 17 N  
 R. 8 + 8 W from which  
 Beck 9 in air: beam. — 6 W. 10 links arch; Pa  
 Do — 8 4 " " " N 35 W 15 " "  
 Good land.

August 1819.

West On the South Bound. of Pa. 36 T. 17 N R. 8 W  
 " " North " " " " 2 " 16 " " 8 W  
 40.00 Set a post from which  
 Beck 5 in air: beam. N 7 E 17. links arch; Pa  
 Do. 12 " " " S 65 E. 27 " "  
 80.00 Set a post for the cor of ew. 35 + 36 from which  
 Oak 14 in air: beam. N 27 W. 25 links arch; Pa  
 Egan 6 " " " S 70 E. 30 " "  
 Good Rock Limit Same. 2nd rate land.

West On the South Bound. of Pa. 35 T. 17 N R. 8 W  
 " " North " " " " 3 " 16 " " 8 W  
 14.50- Top Rock 30 links mid beam N.



40.00 Set a ft. support from white,  
Buckey 24 in diam. bur. East 13 units out, 20,  
B. Walnut 12 " " " " 147 W 34 " "  
80.00 Set a post for the cor of cor. 34 & 35. from white,  
Buck 9 in diam. bur. S 86 E. 13 units out, 20,  
Heiky 18 " " " " S 52 W 20 " "  
Sound part broken & part on bottom which is  
very rich & part overflows.

West On the South Boundary of sec. 33. T. 17 N. R. 8 W.  
" " North " " " 5 " 16 " " "  
40.00 Set a ft. support from white,  
Elev. 10 in diam. bur. S 26 E. 16 units out, 20,  
Willow 9 " " " " N 71 W 9 " "  
41.00 To a creek 40 units mid, corner S.  
80.00 Set a post for the cor of cor. 32 & 33. from white,  
Elev. 11 in diam. bur. S 44 W 39 units out, 20,  
Do. 12 " " " " N 58 E. 13 " "  
Sound West 7. Good for farming, part broken.

West On the South Boundary of sec. 34. T. 17 N. R. 8 W.  
" " North " " " 4 " 16 " " 8 W  
38.00 Top Brook 5 units mid, corner S.  
40.00 Set a ft. support from white,  
Buck 14 in diam. bur. N 15 W 10 units out, 20,  
Heiky 18 " " " " S 37 E. 20 " "  
80.00 Set a post for the cor of cor. 33 & 34. from white,  
Elev. 10 in diam. bur. S 36 E. 11 units out, 20,  
Oak 30 " " " " N 11 E. 26 " "  
Sound very broken.

West On the South Boundary of sec. 32. T. 16 N. R. 8 W.  
" " North " " " 6 " 16 " " 8 W  
25.00 Top Brook 10 units mid, corner S.  
40.00 Set a ft. support from white,  
Oak 30 in diam. bur. S 19 E. 28 units out, 20,

## T. N. 16. NR. N. 8 W 2nd (Mn. Land)

- Loganport Co in dist. bears N 45 E 7 links dist. -  
 63.00 Iron Brook 8 links in the lower NW  
 63.10 Enter at the Mangrove in 1704 links South of the center  
 of Twp 1 township Sec. and set apart at the Int.  
 Section for the cor of Sec. 16. T. 16 N. 8 W  
 \* from which, Bench 27 in dist. bears S 1 E. 45 links  
 and a W Bench 8 " " " S 35 E 11 " "  
 Variation by observation 6° 50'.  
 80.00 Set a post for the cor of Sec. 31 & 32 from which  
 B. Walnut 14 in dist. bears North 17 links dist. S 1  
 20 30 " " " S 20 W 10 " "  
 Some part good farming land; part broken & part  
 overflowed bottom. The above named post stands for  
 the cor of Sec. 31 & 32 T. 17 N. 8 W.

\* Corner to Township N. 16 N. 1 Range 8 &amp; 9 W

## West Boundary

July 31. 1819. T. 6° 45'

- North On the East Boundary of Sec. 36. T. 16. NR 9 W.  
 22.00 Passed thick  
 40.00 Set a post from which in a prairie: no bearing.  
 65.00 ~~Passed prairie~~  
 80.00 Set a post for the cor of Sec. 36 & 25. from which  
 a Mt Oak 27 in diam. bears N 77. E. 406 links dist.  
 1st Land P. rate;  
 \* North On the East Boundary of Sec. 24. T. 16. N. R. 9 W.  
 0.00 Entered Prairie  
 40.00 Set a post for the cor of 1/4 Sec. in prairie from which  
 a Mt Oak 48 in diam. bears N 72. W. 109 links dist.  
 50.00 Set a post for the cor of Sec. 13 & 24 from which a  
 Mt Oak 40 in diam. bears S. 3. E. 5. 27 links dist.  
 Land 1st rate prairie & from one to two hundred  
 yards wide, excepting the North 1/4 which is about  
 30. chains wide.  
 \* North On the East Boundary of Sec. 25. T. 16. N. R. 9 W.  
 40.00 Set a post for the cor. of 1/4 Sec. in a prairie no bearing trees.

65.00	Puffed Prairie.
80.00	Set apart for the cor of cor. 24 125 from which, W. Oak 50 in diam. trees. N 71 E. 85 links each,
North	On the East Boundary of Sec. 13. T. 16. N. R. 977
10.00	Puffed prairie.
40.00	Set apart for the cor of cor. 24 125 from which, W. Oak 30 in diam. trees. N 63 N. 11 links each, & Hq. 18 " " " " N 9 E. 19 " " "
80.00	Set apart for the cor of cor. 12 123 from which, Elm. 8 in diam. trees. S 77 N. 36 links each; & Hickory 12 " " " " N 21 E. 27 " " " Sand rich and good for farming.
North	On the East Boundary of Sec. 12 T. 16. N. R. 977
40.00	Set apart for the cor of cor. 24 125 from which, <del>W. Oak 30 in diam. trees.</del> W. Walnut. 72 in diam. trees. N 58 N. 9 links each, & P. Buckeye. 24 " " " " S 25 E. 29 " " "
58.00	Is a lake 300 links wide, corner N. W.
80.00	Set apart for the cor of cor. 14 12 from which, Hickory 29 in diam. trees. N 29 E. 44 links each, & Hq. 8 " " " " N 81 N. 61 " " " Sand bottom
North	On the East Boundary of Sec. 1. T. 16. N. R. 9
40.00	Set apart for the cor of cor. 24 125 from which, W. Oak 9 in diam. trees. S 14 E. 7 links each; & Poplar 9 " " " " N 29 N. 13 " " "
42.00	Is a Brook 5 links wide, corner N. W.
62.96	Is the cor of S. 16 T. 16. N. R. 879 77 Surveyed by William Harris P.S.

Subdivisions

T. No. 16. N. R. No. 8 11<sup>th</sup> 2<sup>nd</sup> Mm. Ind:

South Return Sec. 35 T36. T16. N. R. 8 N  
 15.65 To an Elm. 50 links dist. in the line  
 40.00 Set a post from which  
 11 Oak 30 in diam. trees. N 107<sup>th</sup> 3 links dist. to  
 Sugar 24 " " " " S 10 E 25 " "  
 50.36 To a Oak 30 in diam. in the line  
 66.59 Intersect the South Branch at 285 links N of the  
 post cor of sec. 35 T36. and set a post for the cor of  
 Sec. 35 T36. from which  
 Sugar 10 in diam. trees. S 81 E 18 links dist. to  
 Hickory 18 " " " " S 75<sup>th</sup> 7.53 " "

East Return Sec. 25 T36. T16. N. R. 8 N  
 40.00 Set a post from which  
 Sugar 10 in diam. trees. N 79<sup>th</sup> 7.24 links dist. to  
 Walnut 4 " " " " S 69 E 16 " "  
 80.00 Intersect the East Branch of Township 12. at 110.00  
 South of the post cor of Sec. 25 T36. from which  
 Black 20 in diam. trees. N 80<sup>th</sup> 7.38 links dist. to  
 Ash. 20 " " " " S 79 E 21 " "  
 Land here and good for farming; Timber Walnut,  
 Ash, Sugar, Black, &c. W<sup>g</sup> Spruce.

South Return Sec. 25 T36. T16. N. R. 8 N  
 14.95 To a Poplar 20 in diam. in the line  
 40.00 Set a post from which  
 Buckeye 5 in diam. trees. S 77 E 8 links dist. to  
 Sugar 12 " " " " N 127<sup>th</sup> 7.75 " "  
 80.00 Set a post for the cor of sec. 25, 26, 35 T36. from which  
 Iron rock 4 in diam. trees. S 5 E 10 links dist. to  
 Ho. 5 " " " " N 177<sup>th</sup> 1.74 " "  
 Land here and good for farming; Timber Walnut  
 Sugar & Ash. Buckeye, W<sup>g</sup> Spruce, &c.

East Return Sec. 24 T25 T. No. N. R. 8 N  
 46.00 To a Brook. 10 links dist. corner N. R.



333

T. N. 16. NR N. 8 W 2nd. Mer. Land.

40.00 Set apart 1/4 section from white  
 Ash 24 in diam. trees. N 48 E. 15 links north to  
 Sugar 6 " " " S 50 N 30 " "  
 8000 Set apart the East Boundary 10 ch & 70 links South of  
 the first corner of sec. 24 & 25 from white  
 Birch 12 in diam. trees. S 52 E. 17 links north, on  
 to 15 " " " N 14 N. 24 " "  
 Land is good for farming; Timber Birch, Sugar & Wal-  
 nut. W. 9 Spruce & Pampaw.

---

South Between Sec. 23 & 24 T. 16. NR 8 W  
 18.50 To a blackberry 28 in diam. in the line.  
 27.00 To a Birch 25 links north, corner S. W.  
 35.00 To a Birch 15 " " " " N. W.  
 40.00 Set apart 1/4 section from white  
 Cypress 40 in diam. trees. N 31 E. 27 links north, on  
 Mahogany 24 " " " S 20 N 18 " "  
 63.96 To a Birch 24 in diam. trees in the line.  
 80.00 Set apart for the corner of sec. 23, 24, 25 & 26 from white  
 Sugar. 6 in diam. trees. S 57 E. 20 links north, on  
 Ash 12 " " " N 66 N 35 " "  
 Land good for farming; Timber Birch, Sugar & W.  
 W. 9 Maple &c.

---

East Between Sec. 13 & 14 T. 16. NR 8 W  
 15.75 To a Birch 25 links north, corner S. W.  
 40.00 Set apart 1/4 section from white  
 Sugar 12 in diam. trees. S 24 N 12 links north, on  
 Birch 10 " " " N 33 E. 26 " "  
 8000 Set apart the East Boundary of Township 950 links S.  
 of the first corner of sec. 13 & 14 from white  
 Elm 30 in diam. trees. N 64 E. 17 links north, on  
 to 10 " " " S 64 N. 24 " "  
 Land well suited for farming; Timber Sugar,  
 Birch & Walnut. W. 9 Spruce



## T. N. 16 N. R. N. 8 W. 2nd Mer. Ind.

South  
 15.60 Return Car 13 & 14 T. 16 N. R. 8 W.  
 40.00 To a Poplar 48 in dia. in the line.  
 Set a 1/2 sapest from whips  
 Buck 4 in dia. trees. N 44 E. 6 1/2 mts. oak, & a,  
 No 3 " " " N 64 W 10 " "  
 80.00 Set a pest for the cor of car. 13, 14, 23 & 24 from whips  
 Buck 4 in dia. trees N 50 E. 15 mts. oak, & a,  
 No. 8 " " " N 65 W 15 " "  
 Land level and good for farming. Timber Sugar,  
 Ash, Buck 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.

East  
 22.75 Return Car. 12 & 13 T. 16 N. R. 8 W.  
 40.00 To a Buck, 24 in dia. in the line.  
 Set a 1/2 sapest from whips  
 Buck 6 in dia. trees. N 32 W 13 mts. oak, & a,  
 Ash 15 " " " N 41 E. 21 " "  
 68.25 To a Buck, 8 mts. in dia., between N. E.  
 80.00 Set a pest for the cor of car. 12 & 13 and set a pest for the cor of car.  
 12 & 13 from whips.  
 Buck 6 in dia. trees. N 85 E. 4 mts. oak, & a,  
 Sugar. 15 " " " N 72 W 8 " "  
 Land level and good for farming. Timber Buck, Sugar,  
 Walnut 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.

South  
 25.00 Return Car. 11 & 12 T. 16 N. R. 8 W.  
 28.62 To a Buck 10 mts. in dia., between N. W.  
 40.00 To a Poplar 30 in dia. in the line.  
 Set a 1/2 sapest from whips  
 Buck 12 in dia. trees. N 36 E. 13 mts. oak, & a,  
 Elm. 20 " " " N 46 W 28 " "  
 64.11 To a Buck. 18 in dia. in the line.  
 80.00 Set a pest for the cor of Car. 11, 12, 13 & 14 from whips  
 Sugar. 15 in dia. trees. N 15 W. 25 mts. oak, & a,  
 No. 12 " " " N 25 W 30 " "  
 Land level and good for farming. Timber Buck, Sugar,

## T. N. 16. N. R. No 8 Twp 2nd Mer. Sec.

Wabont. Sec.

East	Between Sec 18 & 16 N. R. 8 T. 2nd Mer. Sec.
31.85	To a Buckeye 18 in dia. in the line.
40.00	Set a post 17 ft. in post.
79.50	Set a post the East Corner of Township 816 the S. of the post cor. of sec. 17 & 16 and set a post for the cor. of Sec 17 & 16 from which Buck 12 in dia. bears S 82 E 13 links north; to No. 4 " " " S 74 W 22 " "
West	Between Sec 18 & 16 N. R. 8 T. 2nd Mer. Sec.
39.75	Set the post 17 ft. in post at the arched in the line from which Buck 8 in dia. bears S 34 E 25 links north on sec 10 " " " S 52 W 17 " "
79.50	To the post cor. of sec. 1, 2, 11 & 12. Land low & flat. Timber Buck, Sugar & Maple. 118 Wabont.
South	Between Sec 18 & 16 N. R. 8 T. 2nd Mer. Sec.
23.96	To a Poplar 24 in dia. in the line.
40.00	Set a post 17 ft. in post from which Sugar 6 in dia. bears N 85 E 11 links north; to Cly. 58 " " " S 47 W 18 " "
51.13	To an Ash 30 in dia. in the line.
80.00	Set a post for the cor. of sec. 1, 2, 11 & 12 from which Buck 13 in dia. bears South 3 links north; to Wabont 24 " " " N 22 E 25 " " Land good for farming Timber Buck Sugar & Maple 117 Acres.
South	Between Sec 34 & 35 N. R. 8 T. 2nd Mer. Sec.
1820	To a Wabont 18 in dia. in the line.
40.00	Set a post 17 ft. in post from which Buck 28 in dia. bears N 30 W 49 links north; to No. 24 " " " S 47 W 26 " "
40.80	To a Sugar 24 in dia. in the line.

T. N. 16 N. R. N. 8 W 2<sup>nd</sup> Mer. Ind.

68.72 Intersect the Cont. Road 312 mi East of the post.  
 cor of sec. 34 T35. and set a post for the cor of sec.  
 34 T35 from which  
 New 30 in dist. from. S45 E 6. mi. dist. 100  
 Bush 28 " " " " N45 W 31 " "  
 Land had and rich. Timber Bush, Sugar, and 8  
 New 30: 118 Spr.

East On a Rancho line between Sec 26 T35. T. 16 N. R. 8 W  
 40.00 Set a temporary post  
 49.70 Intersect the Rancho line 124 mi North of the post cor of  
 Sec. 26 T35.  
 Land had and 2<sup>nd</sup> rate. Timber Bush, Sugar,  
 Wheat. 117 Spr.

West On the line between Sec. 26 T35. T. 16 N. R. 8 W.  
 10.75 Set the temporary post at the arched on the line  
 from which Bush 10 in dist. from. N87 E. 9 mi. dist.  
 under Do. 24 " " " " N73 W 39 " "  
 To the post cor of sec. 26. 27 34 T35.

West Between Sec. 26 T35. T. 16 N. R. 8 W  
 28.20 Intersect the Boundary of the Reserve and set a post for  
 the cor of sec. 26 T35 from which  
 North 5 in dist. from. N40 W. 12 mi. dist. 100  
 N. 4 " " " " S E 13 " "  
 Land had and good for farming. Timber Bush,  
 Poplar, Sugar 82. 118 Spr.

South Between Sec. 26 & 27. T. 16 N. R. 8 W  
 15.00 Enter a Swamp  
 21.50 Left Swamp  
 40.00 Set a post from which  
 Bush 8 in dist. from. S82 E. 14 mi. dist. 100  
 Water Bush 6 " " " " N83 W 4 " "  
 To a Bush 18 in dist. on the line.  
 80.00 Set a post for the cor of sec. 26, 27 34 T35. from which

337

T. N. 15 T. R. N. 8 W. 2nd Mer. Ind.

Ask. 20 in clear beam. N25 E. 14 links north, on  
Sugar. 18 " " " S16 W 29 " "  
Land good and 2nd rate; Timber Birch Sugar, Ash, etc.  
19 Spruce &c.

East On a Ram line between Sec. 23 & 26. T. 16. N. R. 8 W.  
40.00 Set a trap 1/2 m. support  
47.72 Intersect the Boundary of the Indian Reserve. 8 links S.  
of the cor for Sec. 23 & 26.  
Land good inclining to mt.; 2nd rate. Timber Spruce

West On the true line between Sec. 23 & 26. T. 16. N. R. 8 W.  
8.76 Set the trap 1/2 m. support at the ar dish on the true line  
from which Maple 20 in clear beam. S28 E. 14 the dish  
made a Co. 18 " " " S22 W 30 " "  
To the post cor of sec 22, 23, 26. S27

West Return Sec. 23 & 26. T. 16. N. R. 8 W.  
30.19 Intersect the Boundary of Indian Reserve. and set a  
post for the cor of Sec. 23 & 26. from which  
Ask 20 in clear beam. N46 E. 3 links north, on  
Co. 10 " " " S46 W 4 " "  
Land good and good for farming; Timber Birch,  
Sugar & Walnut. 19 Spruce.

South Return Sec. 22 & 23. T. 16. N. R. 8 W.  
13.00 To a Brook. 30 links north, corner T. 16.  
40.00 Set a 1/2 m. support from which  
W. Thorn 4 in clear beam. N11 E. 16 links north, on  
Timber 4 " " " S20 W 18 " "  
44.33 Intersect the line of Indian Boundary and set a  
post for the cor of sec. 22 & 23 from which  
Ask 30 in clear beam. S58 W 20 links north, on  
Spruce 4 " " " N35 E. 8 " "  
Land & timber same as last mt.



## T. No 16. NRP N: 8W 2nd. Mv. Sud:

South Between Sec. 22 & 23 T. 16. NR 8W  
 4.30 To a Brook 15 in dia? in the line  
 35.67 Set a post for the cor of sec. 22, 23, 26 & 27 from which  
 a Brook 33 in dia? runs S 26 W 11 miles dist: &c  
 Lg. 20 " " " N 1 E 28 " "  
 Land held under 2nd rate; Timber Brook ash, Hickory  
 & Sugar.

East Between Sec. 14 & 23 ~~Trails and~~ T. 16. NR 8W  
 On a Random line.  
 40.00 Set a temp. 7 ft. a post.  
 79.70 Set in east the N 7 S line at the post cor of sec. 13, 14 & 23.  
 724  
 Land 1st rate; Timber Sugar Walnut, ash, &c.  
 N 7 S 10 &c.

West On the true line between Sec. 14 & 23. T. 16. NR 8W  
 39.85 Set the temp. 7 ft. a post at the cor with in the true line  
 from which, Sugar 36 in dia? runs N 87 E 33 1/2 miles  
 dist: &c. Brook. 5 " " " N 45 W 22 " "  
 79.70 To the post cor of sec. 14, 15 22 & 23.

South Between Sec. 14 & 15 T. 16. NR 8W.  
 15.15 To a Sugar 30 in dia? stands in the line  
 24.00 To a Brook 20 miles wide, comes W.  
 40.00 Set a 7 ft. a post from which  
 Sugar 24 in dia? runs N 28 W 24 miles dist: &c  
 Lg. 20 " " " S 45 E 26 " "  
 59.92 To a Sugar 18 in dia? in the line  
 79.60 Set a post for the cor of sec. 14, 15, 22 & 23 from  
 which, Hickory 6 in dia? runs N 14 E 21 1/2 miles  
 dist: &c. Lg. 10 " " " S 64 W 28 " "  
 Land held & good for farming.

East Between Sec. 11 & 14 T. 16. NR 8W Random line





## J. N. 16. N. R. N. F. W. 2nd. Mm. Ind.

80.00 Sugar 10 in diam. trees. N 75 W. 12 links each.  
To the post on of Dec. 23, 1871.

South Return Dec 27 & 3 J. 16. N. R. 8 W.

40.00

Set a 7/8 lap post from which

Poplar 48 in diam. trees. N 13 W. 4 links each. &amp;

Sugar 6 " " " S 31 W. 25 " "

64.70

To a Poplar 18 in diam. in the line.

80.00

Set apart for the corner of Dec. 2, 3, 1871. from which

Sugar 12 in diam. trees. S W 25 links each; &amp;

Beach 5 " " " S. E. 25 " "

Sand & c. 7/8 mile thick; 3<sup>rd</sup> level & Good for farming;  
in q; Timber Beach, Sugar, Poplar, W Oak,  
etc. 117 Species.

South Return Dec 33 & 34 J. 16. N. R. 8 W.

120

To an Elm 8 in diam. in the line.

38.76

" " Beach 12 " " " "

40.00

Set a 7/8 lap post from which

Sugar 20 in diam. trees. S 25 W. 6 links each; &amp;

Elm 13 " " " N 62 E. 15 " "

46.25

To a Poplar 33 in diam. in the line.

71.18

Enter last the South Bonnet 248 links East of the  
post corner of Dec. 33 & 34 and set apart for the corner of Dec  
33 & 34 from which

Sugar 20 in diam. trees. N 81 E. 29 links &amp;

Beach 8 " " " S 35 W. 20 " "

Shrubbery 2<sup>nd</sup> grade; Timber Beach, Sugar Oak,  
Elm & c. 119 Species.

East Cross Remain line between Dec 27 & 34 J. 16. N. R. 8 W.

40.00

Set a transit, 7/8 lap post

80.90

Enter last the N 15 W line 220 links north of the post on of

Dec. 26. 27 34 &amp; 35

Land &amp; c. same as last mile.

I No 16. N.R. No 877 2<sup>nd</sup> Mer. Ind.

West On the true line between Sec. 27 & 34 T. 16. N. R. 8 W  
 40.45 Set the trip/pt. in support at the ar ditch on the true line  
 from which, Lynn 14 in dist. from N 31 W. 14 units dist.  
 under Buck 10 " " S E. 16 " "  
 80.90 To the post on of sec. 27 28 33 & 34

South On a Random line between Sec. 27 & 28. T. 16. N. R. 8 W.  
 31.62 To a Buck. 20 in dist. in the line.  
 40.00 Set a pt. in support from which  
 Neick 18 in dist. from N 7 W. 18 units dist. from  
 Ely. 14 " " " S E. 42 " "  
 44.67 To a pt. on Ar. 22 in dist. in the line.  
 80.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which  
 W. Walnut. 40 in dist. from S E. 53 units dist. from  
 Ely. 8 " " " N 20 W 55 " "  
 Sand rolling & 2<sup>nd</sup> rate; Timber Buck, Sugar & Ash.

East On a Random line between Sec. 22 & 27 T. 16. N. R. 8 W  
 40.00 Set a trip/pt. in support  
 81.05 In the cut the N 3 line 190 units North of the post  
 cor. of Sec. 22, 23, 26 & 27.  
 Sand rolling and 2<sup>nd</sup> rate; Timber Buck, Sugar,  
 Neick).

West On the true line between Sec. 22 & 27 T. 16. N. R. 8 W  
 40.50 Set the trip/pt. in support at the ar ditch on the true line  
 from which, Buck 18 in dist. from N 60 W 29 units dist.  
 under, a Do. 12 " " " S E. 19 " "  
 81.05 To the post on of Sec. 21, 22, 27, & 28.

South Return Sec. 21 & 22 T. 16. N. R. 8 W  
 32.25 To the post on of Sugar. 24 in dist. in the line  
 40.00 Set a pt. in support from which  
 Neack berry 18 in dist. in the true line. S W 22 units dist.  
 W Ar. 12 " " " S E. 29 " "  
 40.00 To Leather more br. 20 units in line, corner S W.

T. 16. N. 16. N. 8 T. 2<sup>nd</sup> Mer. Ind.

50.40	To dipping branch 3 mts. min, corner NW
69.15	To a Beck 15 in dia. in the line.
80.00	Set a post for the cor. of sec. 21. 22, 27. & 28 from which Sugar 20 in dia. bears N 17 E. 14 mts. west, & Beck 18 " " " S 18 E. 41 " " Sand & c. same as last mts.
East	By a Random line between Sec. 15 & 22 T. 16. N. 8 W.
18.89	Enter the Indian Reserve line at the post cor. of Sec. 15 & 22 Sand & c. same as last mts.
West	Cut the line between Sec. 15 & 22 T. 16. N. 8 W.
18.89	To the post cor. of sec. 15. 16. 21 & 22.
South	Return Sec. 15 & 16 T. 16. N. 8 W.
40.00	Set a post for the cor. of sec. 15 & 16 from which Beck 12 in dia. bears S 76 E. 41 mts. west, & Sugar 6 " " " N 64 W 6 " "
65.80	Enter the Boundary of the Indian Reserve and Set a post for the cor. of sec. 15 & 16 from which Sugar 20 in dia. bears S 49 E. 17 mts. west, & Beck 20 " " " West 29 " " Sand & c. same as for farming; Timber Sugar Walnut, Ash, & c. N. 7 Spruce.
West	Return Sec. 15 & 22 T. 16. N. 8 W.
21.00	To a Brook 15 mts. min, corner S.
40.00	Set a post for the cor. of sec. 15 & 22 from which Sugar 20 in dia. bears S 75 E. 27 mts. west, & Beck 20 " " " N 82 W 34 " "
60.22	Enter the Indian Boundary and set a post for the cor. of sec. 15 & 22 from which Sugar 18 in dia. bears N 88 E. 31 mts. west, & Beck 5 " " " N 62 W 54 " " Sand & c. same as for farming; Timber, Birch, Sugar, & c.



W. Spec.

South Return Sud. 15 & 16. T. 16. N. R. 8 W. \*  
 4.30 To a Hickory 20 in air in the line.  
 14.20 Set a post for the end of sec. 15. 16. 21 & 22 from which  
 Buck 20 in air. 144 77.40 units each, &  
 Do. 10 " " " N 82 E. 71 "  
 Land here, & 2nd rate; Timber Buck, Sugar, Hard 1/2,  
 119 Ash 1/2, &c.

East Oak Run line between Sud. 15 & 16. T. 16. N. R. 8 W.  
 40.00 Set a temporary supst.  
 1964 Intersect the N. R. line 30 miles South of the post on of  
 Sud. 10. 11. 14 & 15.  
 Land here made good for farming Timber Ash,  
 Buck & Sugar & Walnut &c. W. Spec.

West Oak Run line between Sud. 15 & 16. T. 16. N. R. 8 W.  
 39.82 Set the temporary supst at the or ash on the true line.  
 from which, Buck 15 in air. 167 E. 13 the units  
 under, Do. 10 " " " N 54 W 17 "  
 1964 To the post on of sec. 9. 10. 15 & 16.

South Return Sud. 9 & 10 T. 16. N. R. 8 W.  
 40.00 Set a supst from which  
 Ash 18 in air. 170 E. 6 units each, &  
 Do. 10 " " " N 60 W 17 "  
 44.40 To a W Oak 12 in air. Hard in the line.  
 80.00 Set a post for the end of sec. 9. 10. 15 & 16 from which  
 Buck 20 in air. 144 E. 13 units each, &  
 W Oak. 24 " " " N 74 W 22 "  
 Land 1/2 mile high; 2nd level of good for farming  
 Timber Buck, Sugar & Hard. Poplar &c. W. Spec.

East Oak Run line between Sud. 3 & 10 T. 16. N. R. 8 W.  
 11000 Set a temporary supst.



T. N. 16. N. R. N. 8 W. 2<sup>nd</sup> M. S. S. 1<sup>st</sup> S.

79.60	Intersect the N. 16 line 50 miles South of the first cor of sec. 2, 3, 10 & 11. Synchr. R. 1/2 mile hill; 2 <sup>nd</sup> road; Good land for farming; Timber
West	On the line between Sec. 3 & 10. T. 16. N. R. 8 W.
39.80	Set the trip. 1/2 in support. with an axis on the line from which, N. Oak 24 in diam. trees N. 65 W. 25 the axis under No. 18 " " " N. 65 W. 25 " "
79.60	Intersect the cor. of sec. 3 & 4 9 & 10.
South	Return Sec. 3 & 4 T. 16. N. R. 8 W.
31.15	To an Oak 30 in diam. in the line.
40.00	Set a 1/2 in support from which N. Walnut 24 in diam. trees. N. 24 E. 25 miles north, N. 11 W. 11 " " N. 58 W. 10 " "
58.50	To the Bank of Sugar Creek 300 miles north, Corner N. 16
80.000	Set a post for the cor. of Sec. 3 & 4 9 & 10 from which N. Oak 18 in diam. trees. East 16 miles north, Oak, Hickory 12 " " " N. 71 W. 35 " " Good hill; under post Good for farming; Timber Walnut, N. Oak, Hickory, & Black Oak, N. Y. Spruce.
South	Return Sec. 30 & 33. T. 16. N. R. 8 W.
40.00	Set a 1/2 in support from which N. Beech 14 in diam. trees. N. 33 W. 23 miles north, Oak Do. 12 " " " N. 35 E. 20 " "
42.75	To N. Beech 15 in diam. in the line.
67.82	Intersect the South Boundary 350 miles East of the first cor of sec. 30 & 33. in a set a post for the cor of sec. 30 & 33 from which, Beech 28 in diam. trees N. 45 W. 21 the axis angle N. 30 " " " N. 45 E. 9 " " Land is rolling; 2 <sup>nd</sup> road; Timber & some select oak.
East	On a Random line between Sec. 28 & 33. T. 16. N. R. 8 W.
40.00	Set a trip. 1/2 in support

78.97 Enter cut the NTS line 207 miles South of the post on off  
 Dec. 27. 28 33 & 34.  
 Land work & 2<sup>nd</sup> rate, Timber same

West  
 39.48 On the line between Dec. 28 & 33 T. 16. N. R. 877  
 Set the trap 1/4 cup at the cross on the line  
 from which Hick 12 in dia. beam N 63 E 33 miles dist.  
 and a No. 10 " " " N 22 W 17 " "  
 78.97 To the post on of Dec. 28. 29. 32 & 33.

South  
 17.80 Between Dec. 28 & 29 T. 16. N. R. 877.  
 To a Cherry 10 in dia. stands in the line.  
 21.50 " Branch 4 miles near corner N. W.  
 40.00 Set a 1/4 cup at from which  
 Hick 20 in dia. beam. S 78 - 20 miles dist. S  
 No. 8 " " " S 16 E. 53 " "  
 50.00 To a Hick. 24 in dia. in the line.  
 73.35 To a R. Oak. 48 " " " "  
 80.00 Set a post for the cut of Dec. 28 29 32 & 33 from which  
 Hick 12 in dia. beam. N 79 E. 25 miles dist. S  
 No. 9 " " " N 69 W 13 " "  
 Land rolling and 2<sup>nd</sup> rate; Timber Birch, Sugar,  
 Ash Hickory N. Y. Spruce & c.

East  
 24.50 On a common line between Dec. 21 & 28 T. 16. N. R. 877.  
 To a Birch 4 miles near corner N. W.  
 40.00 Set a trap 1/4 cup at  
 78.42 Enter cut the NTS line 176 miles South of the post on of Dec.  
 21. 22, 27 & 28.  
 Land hilly and 2<sup>nd</sup> rate; Timber same.

West  
 39.27 On the line between Dec. 21 & 28 T. 16. N. R. 877  
 Set the trap 1/4 cup at the cross on the line  
 from which Sugar 20 in dia. beam. N 33 E. 25 miles dist.  
 and a No. 20 " " " S 21 W 29 " "  
 78.42 To the post on of Dec. 20 21. 28 & 29.

I. N<sup>o</sup> 16. N. R. N<sup>o</sup> 8 W 2<sup>nd</sup> M<sup>o</sup>. Sugar

South Return Dec. 20 & 21 I. 16. N. R. 8 W.  
 40.00 Set a 7<sup>th</sup> support from which  
 I Oak 14 in dia. trees. South 4 miles north, to  
 Do. 8 " " " N 23 E 31 " "  
 43.00 To a Brook 8 miles wide, corner S. W.  
 49.00 To Leatherwood Creek 20 miles wide, corner S. W.  
 80.00 Set a post for the cn of lvs. 20 21 28 & 29 from which  
 I Oak 10 in dia. trees. N 41 W 30 miles north, to  
 Reap 9 " " " East 21 " "  
 Land nothing; & 1<sup>st</sup> 1/2 mile north; 2<sup>nd</sup> 1/2 2<sup>nd</sup> mile onto:  
 Timber Beach, Sugar, Ash & Hick. N. Y. Spec. Ash. of  
 Maple. June 26. 1823.

East On a Random line between Dec. 16 & 21. I. 16. N. R. 8 W.  
 24.10 To a Brook 10 miles wide, corner S.  
 40.00 Set a trip 1<sup>st</sup> support.  
 78.38 Intersect the N 13 line South of the post cn of lvs.  
 15. 16. 21 & 22.  
 Can do nothing of 2<sup>nd</sup> mile; Timber Beach, Sugar Ash. &c.

West On the true line between Dec. 16 & 21. I. 16. N. R. 8 W.  
 39.29 Set the trip 1<sup>st</sup> support at the ar. ash on the true line from  
 which I Oak 36 in dia. trees. N 48 W. 26 miles north,  
 under Beach. 30 " " " N 42 E 13 " "  
 78.58 To the post cn of lvs. 16. 17. 20 & 21.

South Return Dec. 16 & 17 I. 16. N. R. 8 W.  
 4.87 Intersect the Random of preceding Return and set  
 a post for the cn of lvs. 16 & 17 from which  
 Beach 15 in dia. trees. N 27 E 30 miles north, to  
 Do. 18 " " " N 15 W 19 " "  
 South Return Dec. 16 & 17 I. 16. N. R. 8 W.  
 24.75 To a Beach 15 in dia. 1/2 miles north, to  
 35.19 Set a 7<sup>th</sup> support from which  
 Beach 8 in dia. trees. South 15 miles north, to  
 Water Beach 7 " " " N 15 W. 79 " "

T. N<sup>o</sup> 16. N. R. S<sup>o</sup> 877. 2<sup>nd</sup> Mer. Ind.

45.00	To Sugar. 26 in dist. in the line.
75.19	Set a post for the cor of Sec. 16. 17. 20 & 21. From which, Beck. 36 in dist. from S 22 N. 40 W. 1/2 sec. 20, Sugar. 22 " " " N 13 W. 31 " " Some colling of 2 <sup>nd</sup> rate; Timber Beck, Sugar, etc. 119 Spec.
East	On a random line between Sec. 9 & 16. T. 16. N. R. 877
40.00	Set a temp. post for a post
79.10	Enter cut the N & S line at the post cor of sec. 9. 10. 15 & 16 Some goods for farming; Timber Beck, Sugar, etc.
West	On the Random line between Sec. 9 & 16. T. 16. N. R. 877
39.55	Set the temp. post at the av. cut on the new line from which a Sugar - in dist. from. N 23 E. 11 the cut; Bay Beck 4 " " " West 16 " "
79.10	To the post cor of sec. 8. 9. 16 & 17.
South	Return Sec. 8 & 9 T. 16. N. R. 877
40.00	Set a post for a post from which, Sugar 18 in dist. from. N 3 E. 41 the cut, etc. Do. 15 " " " N 17 W. 26 " "
80.00	Set a post for the cor of sec. 8. 9. 16 & 17 from which, Agh 12 in dist. from S 15 E. 6 the cut, etc. Sugar 20 " " " S 44 W. 33 " Some hills; Timber N Oak Beck, Sugar, etc. 118 Spec. Timber etc. 1/2.
East	On a random line between 4 & 9 T. 16. N. R. 877
40.00	Set a temp. post for a post
79.20	Enter cut the N & S line at the post cor of sec. 3. 4. 9 & 10. Some hills; Timber N Oak Beck, & Poplar, etc. 119 Spec.
West	On the new line between Sec. 4 & 9 T. 16. N. R. 877
39.60	Set the temp. post at the av. cut on the new line from



T. N. 16. N. R. N. 877 2<sup>nd</sup> Mer. Ind.

whitish 71 Oak 24 in diam. 1 cm.

79.20 To the post on of lat. 4.5. 879.

South Between lat. 4.5. 16. N. R. 877.

40.00 Set a 7<sup>th</sup> sap post from whitish,

Blackberry 18 in diam. bears N 25 E 25 limbs each; 70,

Buckeye 24 " " " S 20 N 30 " "

52.00 To Sugar Creek 200 limbs wide, Corner N. W.

80.00 Set a post for the cor of lat. 4.5 879 from whitish,

7 Oak 18 in diam. bears S 86 E 30 limbs each; 70,

Do. 15 " " " S 58 N 18 " "

Found 10<sup>th</sup> 7<sup>th</sup> maple (Hilly)? 2<sup>nd</sup> 7<sup>th</sup> limb; & Good for  
farming; Sugar Maple, Sugar Bush, Hickory &  
119 Spruce &c.

South Between lat. 31.532 16. N. R. 877.

0.75 To Leatherwood Creek 25 limbs wide, Corner N. W.

40.00 Set a 7<sup>th</sup> sap post from whitish,

Sugar 30 in diam. bears S 8 E 46 limbs each; 70,

Hickory 14 " " " N 14 N 40 " "

49.40 To a Hickory 19 in diam. in the line.

66.64 Set out the South Branch 360 limbs East of the post

cor of lat. 31.532 you do set a post for the cor of lat. 31.532

from whitish, Lycamore 10 in diam. bears N 75 E 5 limbs each

under a Cottonwood 7 " " " S 8 E 29 " "

Found limb of rich Sugar Maple, Sugar & Blackberry.

Ash Elm &c. 119 Spruce & Pines.

June 29. 1823.

Set divided at Var. 6° 30'

East On a Run line between lat. 29.532 16. N. R. 877.

1.00 To Leatherwood Creek 25 limbs wide, Corner N. W.

40.00 Set a stump 7<sup>th</sup> sap post

79.44 Set out the N. W. line 110 limbs South of the post

cor of lat. 29.532 & 33.

349

J. N. 16. RR No. 8 W. Ind. Mur. Indiana

Same polling & 2nd rate; Timber Sugar Bush Act 4,  
N. Y. Spec. & Pawpan.

West  
39.72 On the line between Dec 29 1832 J. 16. RR 8 W.  
Set the trap for report at the orchard on the line from  
whiskey, Bush 24 in deer house N 82 E. 23 huts each, 80  
Neck 20 " " " " " " 97 37.46 " "  
79.44 To the post on of Dec. 29. 30 31 1832

West  
16.50 Return Dec 30 1831. J. 16. RR 8 W.  
To a spring branch 3 huts near, corner S. E.  
22.45 To a B. Mahant 10 in deer on the line.  
40.00 Set a trap report from whiskey  
Bush 20 in deer house N 48 E. 25 huts each, 80  
10.30 " " " " " " N 12 E. 33 " "  
56.58 To a sugar 24 in deer on the line.  
81.00 Enter a prairie.  
88.54 Enter at the West Branch 1200 & 1000 South of the  
post on of Dec. 25 1836. J. 16. RR 9 W. and set a post for  
the on of Dec. 31 1830 from whiskey  
Oak 20 in deer house. 856 E. 879 huts each;  
Land here & rich Timber Bush Sugar W. Oak & Ash  
N. Y. Spec. Pawpan & Maple.

South  
4.50 Return Dec 29 1830 J. 16. RR 8 W.  
To a spring branch 3 huts near, corner S. E.  
15.00 " " " " " " 21 " " " E.  
21.75 " " " " " " 4 " " " S. E.  
30.03 To a Bush. 36 in deer on the line.  
40.00 Set a trap report from whiskey  
Bush 20 in deer house 879 E. 36 huts each, 80  
R. Oak 8 " " " " " " N 19 W. 30 " "  
49.10 To a Poplar 10 in deer on the line.  
55.25 To a spring branch 3 huts near, corner E.  
80.00 Set a post for the on of Dec. 29. 30 31 1832 from whiskey  
Mulberry 10 in deer house. 887 E. 19 huts each, 80

## T. No. 16. N.R. No. 877 2nd Min. Land.

Backeye Tin dirt line. N 65° W 14 units north,  
 Sand rolling of 2<sup>nd</sup> rate; Timber Sugar Buck Ald & Poplar  
 N 9° E 10 & Pawpaw.

East On a Run line between Dec 29 1920 T. 16 N.R. 877.

22.50 To a spring track 4 units wide corner S.

31.50 " " corner 15 units wide, corner S.W.

40.00 Set a stump 7 ft in post

52.75 To a Buck 18 units wide, corner N.W.

57.25 " " No. 20 " " " " S.W.

79.40 Intersect the N 13 line 75 units South of the post on of lat.  
 28.29.3 20 & 21.

Sand rolling of 2<sup>nd</sup> rate; Timber Buck, Sugar, N 9° E 10  
 & Pawpaw.

West On the Run line between Dec. 20 & 29. T. 16 N.R. 877.

39.70 Set the stump 7 ft in post at the ar ditch on the Run line from  
 which, N Buck 8 in dirt line. N 75° W 17 units north; to,  
 No. 6 " " " " S 65° E 15 " "

79.40 To the post on of lat. 19.20 29 & 31.

West Between Dec 19 1930 T. 16 N.R. 877.

18.40 To a Buck 18 in dirt in the line.

40.00 Set a post from which  
 N 30 in dirt line. S 45° W 30 units north, to  
 North 16 " " " " N 88° E 26 " "

44.50 To a Poplar 33 in dirt in the line.

89.25 Intersect the West Boundary 1283 units South of the post.  
 on of lat. 24 & 25. T. 16 N.R. 977 units set apart for the  
 " " " " 19 1930 from which

Elm. 20 in dirt line. S 46° E 11 units north, to,  
 Hick 14 " " " " N 83° W 15 " "

Sand rolling of 2<sup>nd</sup> rate; Timber Sugar, Poplar Ald,  
 Buck, Hick & Shadefoot &c.

South Between Dec 19 & 20 T. 16 N.R. 877



12.12 To a Wick 1728 in dist. in the air.  
 40.00 Set a 7/16 support from which  
 Bench 20 in dist. from N 50 E. 7 miles east, on  
 120.12 " " " N 16 W 29 " "  
 73.30 To a Bench 20 in dist. from the air.  
 80.00 Set a post for the cor of sec. 19 20 29 & 30 from which,  
 Poplar 22 in dist. from N 68 E. 2 miles east, on  
 Sassafras 15 " " N 47 W 19 " "  
 Land & timber same.

East On a Ransom line between Sec 17 & 20 T. 16 N. R. 8 W  
 40.00 Set a support 7/16 support  
 79.86 Into set the N 53 line 96 miles South of the post on off  
 Sec 16 17 20 & 21.  
 Land & timber same.

West On the new line between Sec 17 & 20 T. 16 N. R. 8 W.  
 39.93 Set the support 7/16 support at the cor. on the new line  
 from which, Bench 18 in dist. from North 13 miles east  
 made a 120.12 " " " S 81 E. 2 " "  
 79.86 Into set the cor of sec. 17 18 19 & 20.

West Between Sec 18 & 19 T. 16 N. R. 8 W  
 4.50 To an Elm. 33 in dist. in the air.  
 40.00 Set a 7/16 support from which  
 Wick 190 in dist. from N 4 E 30 miles east, on  
 N. Locust 4 " " " N 44 W 29 " "  
 57.08 To a sugar - 12 in dist. in the air.  
 90.53 Into set the West Ransom 1280 miles South of the post.  
 cor of sec. 13 & 24 T. 16 N. R. 8 W made set a post for the  
 " " " 18 & 19 from which,  
 N Oak 30 in dist. from S 86 E. 204 miles east, on  
 N Oak 48 " " " N 25 E. 166 " "  
 Land & timber same.

South Between Sec 17 & 18 T. 16 N. R. 8 W



## T. N. 16. N. R. N. 877 D. d. Min. Ind. +

20.85 To a Beach 20 in dia. in the line.  
 40.00 Set a 1/2 cup post from whiche  
 Beach 33 in dia. beam. S85 E 17 units north, Pa.  
 Do. 18 " " N67 W 44  
 61.08 To a beam 26 in dia. in the line.  
 80.00 Set a post for the cor of cor. 17 18 19 20 from whiche  
 N. Oak. 6 in dia. beam. N24 E 14 units north, Pa.  
 Beach 20 " " " S54 W 26 "  
 Sand rolling S2nd rate; Timber Beach, Sugar Ash,  
 Poplar 1/2. 119 Spies. Ash 1/2.

East On a Random line between Cor. 8777 T. 16. N. R. 877.  
 40.00 Set a temp. post for the cor of 1/2 Pa.  
 73.20 Enter out the Boundary of Indian Reserve 100 units South  
 of the post cor of cor. 8777.  
 Sand rolling S2nd rate; Timber Beach, Sugar Ash,  
 119 Spies.

West On the line between Cor. 8777 T. 16. N. R. 877.  
 33.32 Set the temp. 1/2 cup post at the cor act on the line  
 from whiche Sugar 20 in dia. beam. N88 E 25 units north  
 under Do. 15 " " S88 W 11 "  
 73.20 To the post cor of cor. 7. 8. 17 18.

West Between Cor. 8777 T. 16. N. R. 877.  
 65.6 Enter out the Boundary of the Indian Reserve & set a post  
 for the cor of cor. 8777 from whiche  
 Beach 12 in dia. beam. N80 E 26 units north, Pa.  
 Do. 6 " " N68 W 29 "

West Between Cor. 7. 18 T. 16. N. R. 877.  
 34.75 To a beam 15 in dia. in the line.  
 40.00 Set a 1/2 cup post from whiche  
 N Oak 20 in dia. beam. N54 E 50 units north, Pa.  
 Height 14 " " S70 W 40 "  
 54.50 To a N. Oak 33 in dia. in the line.

J. No. 16. N.R. No. 8 W 2<sup>nd</sup> (Mu. Ind.:

90.00 Intercept the West Road 1703 miles South of the post.  
 on of sec. 12 & 13 T. 16. N.R. 9 W and set apart for the con.  
 " " 7118. from which  
 Sec. 30 in direction. S 71 E. 31 miles north, & a,  
 E. 14 " " " N 67 W. 40 " "  
 Land held by 2<sup>nd</sup> class; Timber Oak, Black, & Sugar,  
 All Hickory & Maple.

South Return Sec 7 & 8 T. 16. N.R. 8 W.  
 24.00 Intercept the Roads of the Indian Reservoir & set apart  
 for the con of sec 7 & 8 from which  
 Sugar 9 in direction N 74 E. 18 miles north, & a,  
 No. 6 " " " N 4 E. 35 " "  
 South Return Sec 7 & 8 T. 16. N.R. 8 W.  
 12.00 To Sugar 18 in direction in the river.  
 16.00 Set apart for the con of sec 7 & 8 from which  
 Height 20 in direction. S 37 W. 44 miles north, & a,  
 Sugar. 22 " " " N 5 E. 42 " "  
 25.50 To Sugar 18 in direction in the river.  
 56.00 Set apart for the con of sec 7 & 8 17 & 18 from which,  
 Beach 20 in direction. N 59 E. 53 miles north, & a,  
 Sugar. 6 " " " S 86 W. 7 " "  
 Land held by rich Timber Sugar, Beech, Hackberry, Wal-  
 nut. &c. All Grain & Paspalum &c.

East On the River line between Sec 5 & 8 T. 16. N.R. 8 W.  
 17.00 To Sugar Creek 300 miles near Co. N.W.  
 40.00 Set apart for the con.  
 50.00 To Sugar Creek 300 miles near Corner S.W.  
 79.90 Intercept the N.W. line 50 miles S. of the post on of sec 4, 5, 8 & 9  
 Land rich & subject to inundation; Sugar, common Hackberry.

West On the River line between Sec 5 & 8 T. 16. N.R. 8 W.  
 39.95 Set apart for the con at the intersection the true line formerly  
 1200 Acres in direction N 88 E. 11 miles distant 20. 3 in direction. S 43 W. 14  
 79.90 Intercept on of sec 5, 6, 7 & 8.

T. N. 16. NR N. 87W 2<sup>nd</sup> Mer. Ind.

- West Between Sec 6 & 7 T. 16. NR 87W.
- 29.78 Set a post on the Bank of Sugar Creek for Sec 6 & 7 from  
Whitaker Elm. 30 in dia. bears N 51 E 38 limbs north. Said  
post stands 250 limbs from the Indian Boundary. in Cont.
- 30.28 Borneo. 1 in Creek.
- West Between Sec 6 & 7 from Indian Boundary Sugar Creek at Com-  
mencement 380 limbs near corner NW.
- 3.80 Set a post on the Bank of Sugar Creek for 6 & 7 from Whitaker  
Elm. 24 in dia. bears N 33 W 48 limbs. dist. to,  
Cottonwood 24 " " S 20 E 8 " "
- 7.72 Set a 1/2" post from Whitaker  
Sycamore 20 in dia. S 59 E 32 limbs to Sugar 12 in dia. S 87 W 13.
- 20.94 Set a post on the Bank of Sugar Creek. 300 limbs from Whitaker  
Maple 10 in dia. from East 43 limbs; to N 100 W 6 in dia. S 40 E 26.
- 24.82 Set a post on the Bank of Sugar Creek from Whitaker  
Cottonwood 8 in dia. bears S 35 W 40 to Sycamore 5 N 85 W 12.
- 33.02 To an Elm 18 in dia. on the line.
- 42.72 To a Maple 20 in dia. cor of Sec 6 & 7 on Sugar Creek.
- 59.97 Between the West Borneo. 1 of 100 limbs South of the Cor of NW 12 NE.  
NR 9 W & set a post for 6 & 7 from Whitaker  
Cottonwood 6 in dia. N 15 W 66 limbs; to Sand bar on N. West 10 W.

- South Between Sec 5 & 6 T. 16. NR 87W.
- 40.00 Set a temp. 1/2" post from Whitaker  
Ash 3 in dia. bears N 20 W 11 limbs north, to  
Do. 4 " " S 44 W 18 " "
- 40.21 To a Spring 3 limbs near corner E.
- 64.50 " " Stream 20 limbs near corner NW
- 70.50 To Sugar Creek. 300 limbs near, bold & rapid.
- 80.00 Set a post for the cor of sec 5, 6, 7 & 8 from Whitaker  
Sugar 12 in dia. bears S 6 W 4 limbs north; to  
Do. 12 " " N 25 W 20 " "
- Long hill, timber Sugar, Walnut, Hickory &c. NW  
Spring.

The point of this Township in Indian Reserve  
was surveyed by Elias Beatty, D.

355

I. N<sup>o</sup> 16. N. R. N<sup>o</sup> 877 2<sup>nd</sup> Mer. Sud<sup>e</sup>

& the North & East front was surveyed by  
William Potter D.S.

---

Chambers' Oath under R. B. Bentley D.S.

We John P. Brown & Jas. A. de Coligny swear  
in the presence of Almighty God that in all measurements  
in which we shall be employed as chain carriers in the  
Public Survey, we will faithfully & impartially execute  
the duties of the Trust reposed in us to the best of our  
Skill & Abilities to help us God.

John P. Brown.

Sworn & Subscribed before me this 25<sup>th</sup> day of  
June 1823. R. B. Bentley D.S.

---

I certify that the foregoing Transcripts of the field  
notes of I. N<sup>o</sup> 16. N. R. N<sup>o</sup> 877 of the 2<sup>nd</sup> Mer.

Sud<sup>e</sup> has been compared with the originals in the  
Office & found to be correct.

Surveyor General's Office  
Cincinnati, Aug. 16. 1841

C. S. Haines  
Surveyor General